


# PRODUCT SHEET

## LED Poster Light box



### LED Poster Light box


Ultra thin design LED light box with proven snap frame technique for easy poster exchange. New structured 8 mm panel thickness guarantees improved quality and finer lighting. Color temperature 5000 K (daylight). Due to LED illumination the light box uses 70% less energy than a standard light box with an increased life expectancy.

### LED-Leuchtrahmen


LED-Leuchtrahmen für den Innenbereich mit gleichmäßiger LED-Kantenbeleuchtung (5000 Kelvin, Tageslicht). Schneller und einfacher Motivwechsel durch die bewährte Klapprahmenteknik.

# PRODUCT SHEET

## LED Poster Light box



### BACKVIEW RÜCKANSICHT



# PRODUCT SHEET

## LED Poster Light box

ARTICLE CODE	EAN / GTIN	POSTER SIZE	VISIBLE SIZE	SIZE (A x B x C)	LIGHT	NET WEIGHT	HOLES PITCH (X x Y)
ARTIKELCODE	EAN / GTIN	PLAKATFORMAT	SICHTMAß	GRÖßE (A x B x C)	LEISTUNG	NETTO GEWICHT	LOCHABSTAND (X x Y)
PLEDA4G30	8595578309799	A4 (210 x 297 mm)	193 x 280 mm	252 x 339 x 27 mm	12 W	1,3 kg	233 x 129 mm
PLEDA3G30	8595578309782	A3 (297 x 420 mm)	280 x 403 mm	339 x 462 x 27 mm	24 W	2,0 kg	320 x 262 mm
PLEDA2G30	8595578309775	A2 (420 x 594 mm)	403 x 577 mm	462 x 636 x 27 mm	24 W	3,3 kg	443 x 436 mm
PLEDA1G30	8595578309768	A1 (594 x 841 mm)	577 x 824 mm	636 x 883 x 27 mm	36 W	5,5 kg	617 x 683 mm
PLEDA0G30	8595578309751	A0 (841 x 1189 mm)	824 x 1172 mm	883 x 1231 x 27 mm	48 W	8,9 kg	864 x 1031 mm
PLED50x70G30	8595578309683	500 x 700 mm	483 x 683 mm	542 x 742 x 27 mm	24 W	4,2 kg	523 x 542 mm
PLED70x100G30	8595578309690	700 x 1000 mm	683 x 983 mm	742 x 1042 x 27 mm	36 W	7,1 kg	723 x 842 mm

ARTICLE CODE	PACKING SIZE	PACKING WEIGHT	PCS / PALLET	WEIGHT OF PALLET	VOLUMETRIC WEIGHT	BELT SIZE	SHIPPING
ARTIKELCODE	VERPACKUNGS- GRÖßE	VERSAND- GEWICHT	STOCK / PALETTE	PALETTEN- GEWICHT	VOLUMEN- GEWICHT	GURTMAB	VERSANDART
PLEDA4G30	313 x 463 x 74 mm	1,6 kg	149	264 kg	2,14 kg	1237 mm	UPS
PLEDA3G30	398 x 588 x 74 mm	2,5 kg	100	275 kg	3,46 kg	1532 mm	UPS
PLEDA2G30	523 x 763 x 74 mm	4,0 kg	50	225 kg	5,91 kg	1957 mm	UPS
PLEDA1G30	702 x 1012 x 78 mm	7,0 kg	23	186 kg	11,08 kg	2572 mm	UPS
PLEDA0G30	947 x 1362 x 78 mm	11,4 kg	10	139 kg	20,12 kg	3412 mm	TOF
PLED50x70G30	603 x 868 x 74 mm	5,0 kg	33	190 kg	7,75 kg	2222 mm	UPS
PLED70x100G30	807 x 1172 x 78 mm	9,0 kg	20	205 kg	14,75 kg	2942 mm	TOF