

# PRODUCT SHEET

## Lockable Notice Board SCS B1



### Lockable Notice Board S B1 Fire rated

Silver anodised aluminium frame with an UV resistant hinged front panel suitable for indoor and covered outdoor use. Complete with coated steel back wall suitable for use with dry wipe markers and magnets. Supplied with 2 keys. Special sizes available upon request.


### Schaukasten S B1 zertifiziert

Aluminium-Schaukasten mit UV-resistenter Frontscheibe. Abschließbar mit Zylinderschloss, wird inkl. zwei Schlüsseln geliefert. Die weiße, magnethaftende Rückwand ist mit Boardmarkern beschreibbar und trocken abwischbar.

[www.whitelightdisplay.co.uk](http://www.whitelightdisplay.co.uk)

# PRODUCT SHEET

## Lockable Notice Board SCS B1



### ACCESSORIES ZUBEHÖR



(MAGNETS)  
MAGNETS  
MAGNETE



(SETFIXWB)  
MARKER PENS  
BOARDMARKER



(WBERASER)  
ERASER  
TAFELSCHWAMM



(WBCLEANER)  
SPRAY CLEANER  
REINIGER



(STARTERKIT)  
STARTERKIT  
STARTPACKUNG

# PRODUCT SHEET

## Lockable Notice Board SCS B1

ARTICLE CODE	EAN / GTIN	CAPACITY	LOCKS	VISIBLE SIZE	SIZE (A x B x C)	NET WEIGHT
ARTIKELNUMMER	EAN / GTIN	KAPAZITÄT	SCHLÖSSER	SICHTMAß	GRÖßE (A x B x C)	NETTO GEWICHT
SCS2xA4B1	8595578346633	2 x 1 A4	1	440 x 308 mm	521 x 388 x 23 mm	3,0 kg
SCS3xA4B1	8595578316599	3 x 1 A4	1	660 x 308 mm	741 x 388 x 23 mm	3,6 kg
SCS4xA4B1	8595578316551	2 x 2 A4	1	440 x 615 mm	521 x 696 x 23 mm	4,8 kg
SCS6xA4B1	8595578316568	3 x 2 A4	1	660 x 615 mm	741 x 696 x 23 mm	6,9 kg
SCS8xA4B1	8595578350296	4 x 2 A4	1	880 x 615 mm	961 x 696 x 23 mm	8,1 kg
SCS9xA4B1	8595578316575	3 x 3 A4	2	660 x 922 mm	741 x 1004 x 23 mm	9,6 kg
SCS12xA4B1	8595578316582	4 x 3 A4	2	880 x 922 mm	961 x 1004 x 23 mm	10,7 kg

ARTICLE CODE	PACKING SIZE	PACKING WEIGHT	PCS / PALLET	WEIGHT OF PALLET	VOLUMETRIC WEIGHT	BELT SIZE	SHIPPING
ARTIKELNUMMER	PACKUNGS- GRÖßE	PACKUNGS- GEWICHT	STÜCK / PALETTE	PALETTE- GEWICHT	VOLUMEN- GEWICHT	GÜRTEL	VERSANDART
SCS2xA4B1	592 x 462 x 77 mm	3,6 kg	70	272 kg	4,21 kg	1800 mm	UPS
SCS3xA4B1	812 x 462 x 77 mm	4,4 kg	58	277 kg	5,78 kg	2240 mm	UPS
SCS4xA4B1	592 x 767 x 77 mm	5,7 kg	48	289 kg	6,99 kg	2105 mm	UPS
SCS6xA4B1	767 x 812 x 77 mm	8,1 kg	39	331 kg	9,59 kg	2500 mm	TOF
SCS8xA4B1	767 x 1032 x 77 mm	9,3 kg	32	310 kg	12,16 kg	2716 mm	TOF
SCS9xA4B1	812 x 1077 x 77 mm	11,2 kg	32	371 kg	13,47 kg	2855 mm	TOF
SCS12xA4B1	1032 x 1077 x 77 mm	12,6 kg	20	266 kg	17,12 kg	3295 mm	TOF