

# Brochure Rack Totem



## Brochure Rack Totem



• freestanding totem • standard option single-sided, double-sided options available on request • modern - silver anodised aluminium edge profiles with white powder coated central panel optimal for logo branding • tailor made combinations of the content and optional central panel RAL powdercoating on request • many options with acrylic pockets or combinations of snapframe and acrylic pockets available

## Brochüren Totem

Freistehendes Totem • Standardoptionen einseitig, doppelseitig oder auf Anfrage • Modern - silbern eloxiertes Aluminiumkantenprofil mit weißer, pulverbeschichteter Zentralplatte perfekt für Ihr Logo • maßgeschneiderte Kombinationen und andere RAL-Töne auf Anfrage • Verschiedene Möglichkeiten mit Acyltaschen und lapprahmen erhältlich

[www.whitelightdisplay.co.uk](http://www.whitelightdisplay.co.uk)

# Brochure Rack Totem



BRT4xW110







BRT4xW160

BRT8xW160

BRT4xW160A3

BRT8xW230

BRT1xW230A2



# Brochure Rack Totem

Article code	EAN / GTIN	Poster size	Visible size	Capacity	Size (A x B x C)	Net weight
Artikelcode	EAN / GTIN	Plakatformat	Sichtmaß	Kapazität	Größe (A x B x C)	Netto Gewicht
BRT4xW110	8596052043383	-	-	4 x DL	320 x 1767 x 400 mm	9,970 kg
BRT4xW160	8596052043390	-	-	4 x A5	320 x 1767 x 400 mm	0,00 kg
BRT8xW160	8596052043352	-	-	8 x A5	510 x 1767 x 450 mm	16,080 kg
BRT4xW160A3	8596052043376	A3 (297 x 420 mm)	277 x 400 mm	4 x A5	510 x 1767 x 450 mm	0,00 kg
BRT8xW230	8596052042997	-	-	8 x A4	630 x 1767 x 450 mm	0,00 kg
BRT1xW230A2	8596052043338	A2 (420 x 594 mm)	400 x 574 mm	1 x A4	630 x 1767 x 450 mm	20,075 kg

Article code	Packing size	Packing weight	Pcs / Pallet	Weight of pallet	Volumetric weight	Belt size	Shipping
Artikelcode	Verpackungsgröße	Versandgewicht	Stck / Palette	Paletten-gewicht	Volumen-gewicht	Gurtmaß	Versandart
BRT4xW110	412 x 1872 x 87 mm	0,00 kg	12	0 kg	13,42 kg	2870 mm	TOF
BRT4xW160	412 x 1872 x 87 mm	0,00 kg	12	0 kg	13,42 kg	2870 mm	TOF
BRT8xW160	702 x 1872 x 82 mm	0,00 kg	19	0 kg	21,55 kg	3440 mm	TOF
BRT4xW160A3	702 x 1872 x 82 mm	0,00 kg	19	0 kg	21,55 kg	3440 mm	TOF
BRT8xW230	862 x 1832 x 102 mm	0,00 kg	19	0 kg	32,22 kg	3760 mm	TOF
BRT1xW230A2	862 x 1832 x 102 mm	0,00 kg	25	0 kg	32,22 kg	3760 mm	TOF